

AISI (American Iron and Steel Institute)	UNS	Normas EN (Euro Norm)
202	S 20200	
301	S 30100	1.4310
302	S 30200	
303	S 30300	1.4305
303 Se	S 3032	
304	S 30400	1.4301
304L	S 30403	1.4307
305	S 30500	1.4303
308		
316	S 31600	1.4401
316 L	S 31603	1.4404
321	S 32100	1.4541
347	S 34700	1.4550
410	S 41000	1.4006
416	S 41600	1.4005
420	S 42000	1.4028
430	S 43000	1.4016
430 F	S 43000	1.4016
431	S 43100	1.4057
		1.4110
		1.4116
444	S 44400	1.4521
439	S 43035	1.4510
	S 41050	1.4003
	S 32304	1.4362
	S 31803	1.4462
	S 32760	1.4501